## How to test drugs with xylazine and fentanyl test strips.



FYL

Xylazine Test Strips can tell you if your drugs contain xylazine, a powerful non-opioid sedative.

Fentanyl Test Strips can tell you if your drugs contain fentanyl, a powerful opioid.

## Do not use test strips more than once.


- You can test your drugs for xylazine and fentanyl using the same sample.
- Finely crush pills and tablets, add water to the powder and mix thoroughly. If you do not want to test the entire pill, break it in half and test a portion from the middle.
- Put 10 (ten) milligrams (mg) of your drugs (enough to cover Abraham Lincoln's hair on a penny) in a clean, dry container.



 If you cannot test 10 mg of your drugs, put at least a few grains in a clean, dry container.


- Add water to your drugs and mix them up.
  - For meth, MDMA and ecstasy, use 1 (one) teaspoon (about 5 ml) of water for every 10 mg of crystal or powder you are testing.





 Take the strips out of the water and place it on a flat surface for 5 (five) minutes.





## Read the results: What do the test results mean?

**Positive test:** One line at the top means Xylazine, Fentanyl or a similar synthetic opioid has been detected in your drugs.

**Negative Test:** Two lines (even of one is very faint) means Xylazine, Fentanyl or a similar synthetic opioid has **not** been detected in your drugs.

Remember, no test is 100% accurate and your drugs may still contain xylazine, fentanyl or a similar synthetic opioid.



**Invalid test:** No lines or one line closer to the wavy side of the strip means the test is invalid. Retest your drugs using a new strip.

## **Never Use Alone**

Avoid using alone, and if you do, dial or scan to call the Never Use Alone Hotline at **(800) 484-3731** to have an operator stand by while you use.



